


LABORATORY REPORT
RIQAS
PATIENT NAME : MR THARINDU LAKSHAN
AGE : 33 Y 0 M 0 D BILL NO : 251774 (Cash [Full])
GENDER : Male REPORT DATE & TIME : Mon 21 Sep, 2026 01:04 PM
SPECIMEN : Serum SAMPLE DATE & TIME : Mon 21 Sep, 2026 08:19 AM
REFERRED BY : DR CHINTHAKA DE SILVA (CC) |
CENTER : COOP-HOSPITAL MATARA
LIPID PROFILE

TEST	RESULT	UNIT	REF. RANGE
TOTAL CHOLESTEROL	200	mg/dL	150-200
TRIGLYCERIDES	182	mg/dL	50-150
HDL-CHOLESTEROL	48	mg/dL	40-60
LDL-CHOLESTEROL	116	mg/dL	0-130
TOTAL CHOL/HDL	4.2		0-3.8

Cholesterol and Lipoprotein Target Level

	Desirable levels (Low risk for CHD)	Borderline levels (Average risk for CHD)	High levels (High risk for CHD)
Total cholesterol	< 200 mg/dl	200-239 mg/dl	> 240 mg/dl
HDL cholesterol	> 60 mg/dl	40-59 mg/dl (men) 50-59 mg/dl (women)	< 40 mg/dl (men) < 50 mg/dl (women)
Triglycerides	< 150 mg/dl	150-199 mg/dl	> 200 mg/dl
LDL cholesterol	< 130 mg/dl	130-159 mg/dl	> 160 mg/dl
Cholesterol/HDL ratio	< 3.4	3.4-5.7	> 5.7

Lipid levels for individuals with CHD or CHD risk equivalents (CHD- Coronary heart disease)

Total cholesterol	< 170 mg/dl	170-200 mg/dl	> 200 mg/dl
LDL cholesterol	< 100 mg/dl	100-130 mg/dl	> 130 mg/dl

Dr. Thushari Vithanage
MBBS, PG Dip. Path & MD (Chemical Pathology)
Consultant Chemical Pathologist
DGH Matara

Dr. Dileepa Amarasekiriya
MBBS, D. Path, MD (Haematology)
Consultant Haematologist
DGH Matara

Dr. N J Pittigalage
MBBS, Dip. Microbiology, MD. Microbiology
Consultant Microbiologist
DGH Matara



Medical Laboratory Technologist

No 223, Kumarathunga Mawatha, Matara

Tel : +94(0)412232893

Email: cooplabmatara@gmail.com

Web: www.cooperativehospitals.lk

printed by: 69 (Mon 2026-09-21 03:31pm)

Manage by MarCoop health care products private Ltd.